Safety Data Sheet according to 1907/2006/EC, Article 31

Page 1/5

Printing date 18.01.2016 Revision: 15.01.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Sodium chromate, anhydrous

Stock number: A10547 CAS Number:

EC number:

Index number: 024-018-00-3

1.2 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:

Alfa Aesar Avocado Research Chemicals, Ltd.

Avocado Research Chemicals, L Shore Road Port of Heysham Industrial Park Heysham Lancashire LA3 2XY United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608 Email: uktech@alfa.com

www.alfa.com

Informing department: Product safety department.

1.4 Emergency telephone number: Call Carechem 24 at +44 (0) 1865 407333 (English only); +44 (0) 1235 239670 (Multi-language)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS06 skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 2 H330 Fatal if inhaled.



GHS08 health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.


May cause genetic defects. Muta, 1B H340

H350 Carc. 1B May cause cancer.


Repr. 1A H360FD May damage fertility. May damage the unborn child.

STOT RE 1 Causes damage to the central nervous system, the lung and the blood system through prolonged or repeated exposure. Route of H372 exposure: Inhalative.

d 4esa



Skin Corr. 1B Causes severe skin burns and eye damage.



Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Tox. 4 H312 Harmful in contact with skin. Skin Sens. 1 H317 May cause an allergic skin reaction.

Other hazards that do not result in classification No information known.

Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms











GHS05 GHS06 GHS08 GHS09

Signal word Danger

Hazard statements
H301 Toxic if swallowed.
H312 Harmful in contact Harmful in contact with skin. Fatal if inhaled.

H330

H314 H334 H317 Causes severe skin burns and eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

H340 May cause genetic defects.
H350 May cause cancer.
H350 May cause cancer.
H360FD May damage fertility. May damage the unborn child.
H372 Causes damage to the central nervous system, the lung and the blood system through prolonged or repeated exposure. Route of exposure: Inhalative.
H410 Very voice to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P320 Specific treatment is urgent (see on this label).
Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Safety Data Sheet according to 1907/2006/EC, Article 31

Page 2/5 Printing date 18.01.2016 Revision: 15.01.2016

(Contd. of page 1)

Trade name Sodium chromate, anhydrous

2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.1 Substances

CAS# Designation: 7775-11-3 Sodium chromate Identification number(s): EC number: 231-889-5 Index number: 024-018-00-3

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Instantly remove any clothing soiled by the product.

Remove breathing apparatus only after soiled clothing has been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
Seek immediate medical advice.

After skin contact

Instantly wash with water and soap and rinse thoroughly.
Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing Do not induce vomiting; instantly call for medical help 4.2 Most important symptoms and effects, both acute and delayed Causes severe skin burns.

Causes serious eye damage

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media
Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.
5.2 Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:

Sodium oxide

Chromium oxides
5.3 Advice for firefighters

Protective equipment:
Wear self-contained breathing apparatus.
Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
6.2 Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Prevention of secondary hazards: No special measures required.

6.4 Reference to other sectionsSee Section 7 for information on safe handling
See section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle under dry protective gas.
Keep containers tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation/exhaustion at the workplace.
Open and handle container with care.

Information about protection against explosions and fires: The product is not flammable

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and containers: No special requirements. Information, about storage in one common storage facility:

Information about storage in one common stor Store away from water. Store away from strong bases. Store away from reducing agents. Further information about storage conditions: Store under dry inert gas. This product is hygroscopic. Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Protect from humidity and keep away from water.

Store in a locked cabinet or with access restricted to technical experts or their assistants.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

8.1 Control parameters

Components with critical values that require monitoring at the workplace:

7775-11-3 Sodium chromate (100.0%)

WEL () Long-term value: 0.05 mg/m³ as Cr; Carc, Sen

(Contd. on page 3)

Safety Data Sheet according to 1907/2006/EC, Article 31

Page 3/5 Printing date 18.01.2016 Revision: 15.01.2016

(Contd. of page 2)

Trade name Sodium chromate, anhydrous

Ingredients with biological limit values:

7775-11-3 Sodium chromate (100.0%)

BMGV () 10 µmol/mol creatinine Medium: urine Sampling time: post shift Parameter: chromium

Additional information: No data

Not applicable.

792 °C

8.2 Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures should be adhered to in handling the chemicals.
Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Store protective clothing separately.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use self-contained respiratory protective device in emergency situations.
Recommended filter device for short term use:
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Protection of hands: Protection of hands:

Check protection of that is.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR

Penetration time of glove material (in minutes) 480 Glove thickness 0.11 mm

Eye protection:
Tightly sealed safety glasses.
Full face protection
Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties General Information

Appearance: Form: Colour: Crystalline Yellow Smell: Odour threshold: Odourless Not determined.

pH-value:

Change in condition

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Inflammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Salf-inflammability: Not determined Not determined Not determined. Not determined Not determined Self-inflammability: Not determined

Danger of explosion: Critical values for explosion: Not determined.

Lower:

Not determined Upper: Not determined Steam pressure: Density at 20 °C Relative density Vapour density Not applicable. 2.72 g/cm³ Not determined. Not applicable. Not applicable. Evaporation rate
Solubility in / Miscibility with
Water at 20 °C: 530 g/l Soluble

Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic Not applicable.

kínematic:

Not applicable.
No further relevant information available. 9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity No information known.
10.2 Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions Reacts with strong oxidising agents

10.4 Conditions to avoid No further relevant information available. 10.5 Incompatible materials:

Water/moisture Bases

Reducing agents

10.6 Hazardous decomposition products:
Sodium oxide
Chromium oxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity: Fatal if inhaled.

Toxic if swallowed

Danger by skin resorption.

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification:

Oral LD50 136 mg/kg (rat)

Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage.

(Contd. on page 4)

Page 4/5 Printing date 18.01.2016 Revision: 15.01.2016

(Contd. of page 3)

Trade name Sodium chromate, anhydrous

Sensitization:

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

Carcinogenicity:

IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.

ACGIH A1: Confirmed human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies of, or convincing clinical evidence in, exposed

humans. NTP-K: Known to be carcinogenic: sufficient evidence from human studies.

(inhalation) EPA-A: human carcinogen: sufficient evidence from epidemiologic studies to support a causal association between exposure and cancer. (inhalation) EPA-K: Known human carcinogens. (oral) EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available. (oral) EPA-CBD: Carginogenic potential cannot be determined.

Reproductive toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance.

Specific target organ system toxicity - repeated exposure:
Causes damage to the central nervous system, the lung and the blood system through prolonged or repeated exposure. Route of exposure: Inhalative.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity: No effects known.

Additional toxical procedure of the post of our knowledge the post of th

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12: Ecological information

12.1 Toxicity Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.
12.3 Bioaccumulative potential No further relevant information available.
12.4 Mobility in soil No further relevant information available.

Remark: Very toxic for fish
Additional ecological information:

General notes:Do not allow material to be released to the environment without proper governmental permits.

Water danger class 3 (Self-assessment): extremely hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into soil.

Also poisonous for fish and plankton in water bodies.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

Very toxic for aquatic organisms

12.5 Results of PBT and vPvB assessment
PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Hand over to disposers of hazardous waste.

Must be specially treated under adherence to official regulations.

Consult state, local or national regulations for proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

ADR, IMDG, IATA	UN3288
14.2 UN proper shipping name ADR IMDG, IATA	3288 TOXIC SOLID, INORGANIC, N.O.S. (Sodium chromate, anhydrous) TOXIC SOLID, INORGANIC, N.O.S. (Sodium chromate, anhydrous)

14.3 Transport hazard class(es)

ADR

Class IMDG, IATA 6.1 (T5) Toxic substances.

Class 6.1 Toxic substances. Label

Packing group ADR, IMDG, IATA

14.5 Environmental hazards:

Environmentally hazardous substance, solid 14.6 Special precautions for user Kemler Number: Warning: Toxic substances.

EMS Number:

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

F-A,S-A

Transport/Additional information:

Excepted quantities (EQ): Limited quantities (LQ) Tunnel restriction code E4 50<u>0</u> g UN "Model Regulation":

UN3288, TOXIC SOLID, INORGANIC, N.O.S. (Sodium chromate, anhydrous),

Page 5/5 Printing date 18.01.2016 Revision: 15.01.2016

Trade name Sodium chromate, anhydrous

(Contd. of page 4)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Australian Inventory of Chemical Substances Substance is listed. Standard for the Uniform Scheduling of Medicines and Poisons Substance is not listed.

National regulations Information about limitation of use:

Information about limitation of use:

Workers should not be exposed to this hazardous material. Exceptions can be made by the authorities in certain exceptional cases. Employment restrictions concerning young persons must be observed.

Employment restrictions concerning women of child-bearing age must be observed.

For use only by technically qualified individuals.

Water hazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.

Other regulations, limitations and prohibitive regulations
ELINCS (European List of Notified Chemical Substances) Substance is not listed.
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.
This substance is included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH).
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the manufacturing of the restrictions of th the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the Department issuing SDS: Global Marketing Department Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDC: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals SeliNECS: European Inventory of Existing Commercial Chemical Society)
LC50: Lethal concentration, 50 percent
VPWB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency (or Research on Cancer
EPA: Environmental Protection Agency (USA)
Acute Tox. 3: Acute toxicity, Hazard Category 3
Acute Tox. 4: Acute toxicity, Hazard Category 1
Skin Sens. 1: Sensitisation - Respirat, Hazard Category 1
Muta. 1B: Germ cell mutagenicity, Hazard Category 1
Muta. 1B: Germ cell mutagenicity, Hazard Category 1
Rept. 1A: Reproductive foxicity, Hazard Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

GB