

1. Identification

Product identifier	Ammonium Hydroxide ≥10-<35%	
Other means of identification		
Synonyms	Ammonium Hydroxide 10% * Ammonium Hydroxide 10-12.5% * Ammonium Hydroxide 19% * Ammonium Hydroxide 25% * Ammonium Hydroxide 26% * Ammonium Hydroxide 29% * Ammonium Hydroxide 30%	
Recommended use of the chemical and restrictions on use		
Recommended use	Industrial use.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer/Supplier	CMC Materials; 870 North Commons Drive; Aurora, IL 60504; United States	
Telephone	+1.630.375.6631	
Manufacturer/Supplier	CMC Materials; Amber Business Centre; Riddings Alfretton Derbyshire DE55 4DA; United Kingdom	
Telephone	+44 (0) 1773 844200	
E-mail	steve.grundy@cmcmaterials.com	
Manufacturer/Supplier	CMC Materials; 300 Throckmorton, Suite 1900; Fort Worth, Texas 76102; United States	
Telephone	+1.817.761.6100	
Manufacturer/Supplier	CMC Materials; Les Vieilles Hayes; 50620 Saint Fromond; France	
Telephone	+33 (0) 2 33 75 64 00	
E-mail	francesds@cmcmaterials.com	
Manufacturer/Supplier	CMC Materials; 9 Tuas View Lane; Singapore 638826	
Telephone	65.3163.6666	
Manufacturer/Supplier	CMC Materials; Via Umbria 4; 20098 San Giuliano Milanese (MI); Italy	
Telephone	+39 02 988381 / +44 (0) 1773 844200	
E-mail	steve.grundy@cmcmaterials.com	
Emergency phone number		
3E Global Incident Response Hotline		
Singapore	+65 3158 6734	
Asia-Pacific	+1.760.476.3960	
International	+1.760.476.3962	
Access code	333035	
CHEMTREC	For Dangerous Goods Incidents ONLY (spill, leak, fire, exposure or accident), call CHEMTREC 24/7 at:	
Singapore	800.101.2201	
International	+1.703.741.5970	

2. Hazards identification**GHS classification**

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion/irritation	Category 1B
	Serious eye damage/eye irritation	Category 1
	Specific target organ toxicity following single exposure	Category 3 respiratory tract irritation

Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 2

GHS label elements, including precautionary statements

Pictograms



Signal word	Danger
Hazard statements	Harmful if swallowed. Causes severe skin burns and eye damage. May cause respiratory irritation. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Do not breathe mist or vapour. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
Response	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor.
Storage	Not assigned.
Disposal	Not assigned.
Other hazards which do not result in classification	None known.
Supplemental information	None.

3. Composition/information on ingredients

Substance or mixture	Substance		
Chemical name	Common name and synonyms	CAS Number	Concentration (%)
Ammonia, anhydrous		7664-41-7	≥10 - <35

Composition comments	All concentrations are in percent by weight. Components not listed are either non-hazardous or are below reportable limits.
-----------------------------	--

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison centre or doctor/physician if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control centre immediately. Chemical burns must be treated by a physician.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control centre immediately.
Ingestion	Call a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Causes digestive tract burns.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media	Use extinguishing agent suitable for type of surrounding fire.
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed. Fire will produce irritating, corrosive and/or toxic gases. Combustion products may include: nitrogen oxides, ammonia.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Dike fire control water for later disposal. Water runoff can cause environmental damage. Avoid discharge into drains, water courses or onto the ground.

Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	May release flammable, toxic and corrosive Ammonia gas on heating.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
Methods and materials for containment and cleaning up	<p>This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas.</p> <p>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Retain and dispose of contaminated wash water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use.</p>

7. Handling and storage

Precautions for safe handling	Do not breathe mist/vapours. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Singapore. PELs. (Workplace Safety and Health (Permissible Exposure Levels of Toxic Substances) Order)

Components	Type	Value
Ammonia, anhydrous (CAS 7664-41-7)	STEL	24 mg/m ³
		35 ppm
	TWA	17 mg/m ³
		25 ppm

Control parameters/Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value
Ammonia, anhydrous (CAS 7664-41-7)	STEL	35 ppm
	TWA	25 ppm

Exposure guidelines

Appropriate engineering control measures	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.
---	--

Individual protection measures, such as personal protective equipment

Eye/face protection	When working with liquids wear splash-proof chemical goggles and face shield unless full facepiece respiratory protection is worn.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves. Recommended use: Suitable gloves can be recommended by the glove supplier. In full contact: Glove material: Nitrile rubber. Layer thickness: 0.40 mm. Breakthrough time: >480 min.
Other	Wear appropriate chemical resistant clothing. Wear suitable coveralls to prevent exposure to the skin.

Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use of full-faced respiratory protection is recommended. Appropriate respirator selection should be made by a qualified professional.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Liquid.
Colour	Colourless.
Odour	Ammoniacal.
Odour threshold	Not available.
pH	> 14
Melting point/freezing point	Not available.
Initial boiling point and boiling range	29 °C (84.2 °F)
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	0.53 - 0.75 bar (21 °C (69.8 °F))
Vapour density	> 1 (Air = 1)
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Completely soluble in water.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other data	
Density	0.90 - 0.91 g/cm ³
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

10. Stability and reactivity

Reactivity	Reacts violently with strong acids. This product may react with oxidizing agents.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials. Excessive heat.
Incompatible materials	Acids. Oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns. Harmful if swallowed.
Acute toxicity	Harmful if swallowed.

Product	Species	Test Results
Ammonium Hydroxide ≥10-<35% (CAS Mixture)		
Acute		
Oral		
LD50	Rat	350 mg/kg
Components	Species	Test Results
Ammonia, anhydrous (CAS 7664-41-7)		
Acute		
Inhalation		
LC50	Rat	13.77 mg/l, 1 hr (female) 9.85 mg/l, 1 hr (male)
Symptoms	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Causes digestive tract burns.	
Skin corrosion/irritation	Causes severe skin burns.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory or skin sensitisation		
Respiratory sensitisation	Not a respiratory sensitiser.	
Skin sensitisation	This product is not expected to cause skin sensitisation.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not classifiable as to carcinogenicity to humans.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	May cause respiratory irritation.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harmful.	
Other information	None known.	

12. Ecological information

Ecotoxicity	Toxic to aquatic life with long lasting effects.		
Components	Species		Test Results
Ammonia, anhydrous (CAS 7664-41-7)			
Aquatic			
Acute			
Crustacea	LC50	Daphnia magna	92.4 - 110 mg/l, 48 Hours (Read-across)
Fish	LC50	Green sunfish (Lepomis cyanellus)	9 - 272 mg/l, 96 hours total ammonia (ionized and non-ionized)
		Oncorhynchus mykiss	11 - 48 mg/l, 96 hours total ammonia (ionized and non-ionized)
Chronic			
Crustacea	NOEC	Daphnia magna	0.79 mg/l
Fish	NOEC	Pink salmon (Oncorhynchus gorbuscha)	1.2 mg/l
Persistence and degradability	The product solely consists of inorganic compounds which are not biodegradable.		
Bioaccumulative potential			
Octanol/water partition coefficient log Kow			
Ammonia, anhydrous (CAS 7664-41-7)		-2.66	
Mobility in soil	The product is water soluble and may spread in water systems.		
Other adverse effects	The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.		

13. Disposal considerations

Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

14. Transport information

ADR

UN number	UN2672
UN proper shipping name	AMMONIA SOLUTION
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Hazard No. (ADR)	80
Tunnel restriction code	E
Packing group	III
Environmental hazards	Yes
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

RID

UN number	UN2672
UN proper shipping name	AMMONIA SOLUTION
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	III
Environmental hazards	Yes
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

ADN

UN number	UN2672
UN proper shipping name	AMMONIA SOLUTION
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	III
Environmental hazards	Yes
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number	UN2672
UN proper shipping name	Ammonia solution
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	III
Environmental hazards	Yes
ERG Code	8L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number	UN2672
UN proper shipping name	AMMONIA SOLUTION
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-B
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

This safety data sheet was prepared in accordance with Singapore Standard Specification for Hazard Communication for Hazardous Chemicals and Dangerous Goods Part 3: Preparation of Safety Data Sheets (SDS) (SS 586: Part 3: 2014) as amended.

Prior Informed Consent (PIC) Substances (Environment Protection and Management Act, 2nd Schedule, Part 1, Jul. 1, 2013)

Not regulated.

Chemical Weapons Prohibition (Act)

Not applicable.

Environmental Protection and Management (Hazardous Substances) Regulations

Ammonia, anhydrous (CAS 7664-41-7) 1000 kg
500 kg

Environmental Public Health Act

Not applicable.

Misuse of Drugs Act

Controlled Narcotic Drugs (Misuse of Drugs Act, First Schedule, Part I, II & III, as amended)

Not regulated.

Drug Precursors (Misuse of Drugs Act, Third Schedule, Parts I & II, as amended)

Not regulated.

Controlled Specified Drugs (Misuse of Drugs Act, Fourth Schedule, as amended)

Not regulated.

Temporarily Listed Drugs (Misuse of Drugs Act, Fifth Schedule, as amended)

Not regulated.

International regulations

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

References

ECHA registered substances database
HSDB® - Hazardous Substances Data Bank
IARC Monographs. Overall Evaluation of Carcinogenicity

Issued by	Not available.
Prepared by Title	Sharlene Parry, Product Stewardship Manager
Disclaimer	CMC Materials cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Issue date	30-December-2020
Revision date	10-April-2021
Key/legend	<p>ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.</p> <p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</p> <p>CAS: Chemical Abstract Service.</p> <p>IATA: International Air Transport Association.</p> <p>IBC: Intermediate Bulk Container.</p> <p>IMDG: International Maritime Dangerous Goods.</p> <p>MARPOL: International Convention for the Prevention of Pollution From Ships.</p> <p>RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.</p> <p>STEL: Short-Term Exposure Limit.</p> <p>TWA: Time Weighted Average.</p>