SAFETY DATA SHEET

1. Identification

Product identifier DYNASTRIP™ 7700

Other means of identification

Product code J204

Recommended use Photoresist Stripper and Residue Remover

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name Dynaloy, a subsidiary of Eastman Chemical Company

Address 6445 Olivia Lane

Indianapolis, IN 46226 US

US

Telephone 317-788-5694

E-mail DynaloyInfo@eastman.com

Contact person Dynaloy Info

Emergency phone number Chemtrec 1-800-424-9300

International +1 703-527-3887 ccn 7178

2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 4Health hazardsAcute toxicity, oralCategory 4

Acute toxicity, dermal

Skin corrosion/irritation

Category 4

Category 1B

Serious eye damage/eye irritation

Category 1

Specific target organ toxicity, single exposure Category 2 (central nervous system)

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Specific target organ toxicity, repeated C

Category 2 (blood, central nervous system,

liver, thymus)

OSHA defined hazards

Precautionary statement

Label elements



Signal word Danger

Hazard statement Combustible liquid. Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns

and eye damage. Causes serious eye damage. May cause respiratory irritation. May cause damage to organs (central nervous system). May cause damage to organs (blood, central

nervous system, liver, thymus) through prolonged or repeated exposure.

Prevention Keep away from flames and hot surfaces-No smoking. Do not breathe mist or vapor. Wash

thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face

protection.

exposure

Not classified.

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse. In case of fire: Use appropriate media to

extinguish.

Storage Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.

Hazard(s) not otherwise classified (HNOC)

Dispose of contents/container in accordance with local/regional/national/international regulations.

None known.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Dimethyl sulfoxide	67-68-5	70 - 90
3-Methoxy-3-methyl-1-butanol	56539-66-3	9 - 30
2-Aminoethanol	141-43-5	2.5 - 10
Tetramethylammonium hydroxide	75-59-2	1 - 5

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Ingestion

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and delaved

Burning pain and severe corrosive skin damage. Decrease in motor functions. Behavioral changes. Narcosis. Jaundice. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

media

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

Combustible liquid.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage

Precautions for safe handling

Keep away from open flames, hot surfaces and sources of ignition. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
2-Aminoethanol (CAS 141-43-5)	PEL	6 mg/m3	
,		3 ppm	
US. ACGIH Threshold Limit Valu	es		
Components	Туре	Value	
2-Aminoethanol (CAS 141-43-5)	STEL	6 ppm	
,	TWA	3 ppm	
US. NIOSH: Pocket Guide to Che	emical Hazards		
Components	Туре	Value	
2-Aminoethanol (CAS 141-43-5)	STEL	15 mg/m3	
		6 ppm	
	TWA	8 mg/m3	
		3 ppm	
US. Workplace Environmental E	xposure Level (WEEL) Guides		
Components	Туре	Value	
Dimethyl sulfoxide (CAS 67-68-5)	TWA	250 ppm	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protectionWear safety glasses. If splash potential exists, wear full face shield or chemical goggles. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove Hand protection

supplier.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Other

Respiratory protection In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory equipment.

Chemical respirator with organic vapor cartridge and full facepiece.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

When using do not smoke. Keep away from food and drink. Always observe good personal **General hygiene** considerations

hygiene measures, such as washing after handling the material and before eating, drinking, and/or

smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. Liquid. Form

Color Clear, colorless to light straw

Not available. Odor **Odor threshold** Not available. Not applicable. рH Melting point/freezing point Not available.

Initial boiling point and boiling

range

368.6 °F (187 °C) Estimated

176.0 °F (80.0 °C) Tag Closed Cup Flash point

Evaporation rate Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

0.52 hPa Estimated Vapor pressure

Vapor density Not available.

1.09 Relative density

Solubility(ies)

Solubility (water) Miscible. Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity**

Other information

Explosive properties Not explosive. Not oxidizing. Oxidizing properties

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Strong acids. Strong oxidizing agents. Alkaline metals. Isocyanates. Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system.

Skin contact Causes severe skin burns. Harmful in contact with skin.

Eve contact Causes serious eye damage.

Harmful if swallowed. Causes digestive tract burns. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Behavioral changes. Decrease in motor functions. Narcosis. Jaundice. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could

result. May cause respiratory irritation.

Information on toxicological effects

Acute toxicity Harmful in contact with skin. Harmful if swallowed. May cause respiratory irritation.

Components **Species Test Results**

2-Aminoethanol (CAS 141-43-5)

Acute

Dermal

LD50 Rabbit 1025 mg/kg

Oral

Rat LD50 1715 mg/kg

3-Methoxy-3-methyl-1-butanol (CAS 56539-66-3)

Acute

Dermal

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat > 2000 mg/kg

Dimethyl sulfoxide (CAS 67-68-5)

Acute

Dermal

LD50 Rat 40000 mg/kg

Oral

LD50 Rat 28300 mg/kg

Tetramethylammonium hydroxide (CAS 75-59-2)

Acute

Dermal

LD50 Rat 112 mg/kg, 25% aqueous solution

Oral

LD50 Rat 43.75 mg/kg, 25% aqueous solution

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

May cause damage to organs (central nervous system). May cause respiratory irritation. Specific target organ toxicity -

single exposure

DYNASTRIP™ 7700 5/8

927072 Version #: 01 Revision date: -Issue date: 20-May-2015 Specific target organ toxicity - repeated exposure

May cause damage to organs (blood, central nervous system, liver, thymus) through prolonged or

repeated exposure.

•

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species Test Results

2-Aminoethanol (CAS 141-43-5)

Aquatic

Crustacea EC50 Daphnia magna 65 mg/l, 48 hours
Fish LC50 Goldfish (Carassius auratus) 170 mg/l, 96 hours

Tetramethylammonium hydroxide (CAS 75-59-2)

Aquatic

Fish LC50 Pimephales promelas 462 mg/l, 96 Hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

2-Aminoethanol (CAS 141-43-5) -1.31 Dimethyl sulfoxide (CAS 67-68-5) -2.03

Mobility in soil No data available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN3267

UN proper shipping name

Transport hazard class(es)

Corrosive liquid, basic, organic, n.o.s. (2-Aminoethanol, Tetramethylammonium hydroxide)

Class 8
Subsidiary risk Label(s) 8
Packing group III

Environmental hazards

Marine pollutant No

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB3, T7, TP1, TP28

Packaging exceptions 154
Packaging non bulk 203
Packaging bulk 241

IATA

UN number UN3267

UN proper shipping name Corrosive liquid, basic, organic, n.o.s. (2-Aminoethanol, Tetramethylammonium hydroxide)

Transport hazard class(es)

Class 8

 Subsidiary risk

 Label(s)
 8

 Packing group
 III

 Environmental hazards
 No

 ERG Code
 8L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN3267

UN proper shipping name CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-Aminoethanol, Tetramethylammonium

hydroxide)

Not established.

Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8
Packing group III
Environmental hazards

Marine pollutant No EmS F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to

Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

2-Aminoethanol (CAS 141-43-5)

US. New Jersey Worker and Community Right-to-Know Act

2-Aminoethanol (CAS 141-43-5)

Dimethyl sulfoxide (CAS 67-68-5)

Tetramethylammonium hydroxide (CAS 75-59-2)

US. Pennsylvania Worker and Community Right-to-Know Law

2-Aminoethanol (CAS 141-43-5)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

16. Other information, including date of preparation or last revision

Issue date 20-May-2015

Revision date - 01

United States & Puerto Rico

HMIS® ratings Health: 3*

Flammability: 2 Physical hazard: 0

NFPA ratings



Disclaimer

Dynaloy, a subsidiary of Eastman Chemical Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

DYNASTRIP™ 7700 SDS US

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).