

1. Identification

| | | |
|--|--|--|
| Product identifier | Isopropanol - Isopropyl Alcohol | |
| Other means of identification | | |
| CAS number | 67-63-0 | |
| Synonyms | Propan-2-ol | |
| Recommended use of the chemical and restrictions on use | | |
| Recommended use | Raw material for photochemicals, raw material for cleaning agents and disinfectants, process control substance, solvent, industrial use. | |
| Recommended restrictions | None known. | |
| Manufacturer/Importer/Supplier/Distributor information | | |
| Manufacturer/Supplier | CMC Materials; 870 North Commons Drive; Aurora, IL 60504; United States | |
| Telephone | +1.630.375.6631 | |
| Manufacturer/Supplier | CMC Materials; Amber Business Centre; Riddings Alfreton Derbyshire DE55 4DA; United Kingdom | |
| Telephone | +44 (0) 1773 844200 | |
| E-mail | steve.grundy@cmcmaterials.com | |
| Manufacturer/Supplier | CMC Materials; 300 Throckmorton, Suite 1900; Fort Worth, Texas 76102; United States | |
| Telephone | +1.817.761.6100 | |
| Manufacturer/Supplier | CMC Materials; Les Vieilles Hayes; 50620 Saint Fromond; France | |
| Telephone | +33 (0) 2 33 75 64 00 | |
| E-mail | francesds@cmcmaterials.com | |
| Manufacturer/Supplier | CMC Materials; 9 Tuas View Lane; Singapore 638826 | |
| Telephone | 65.3163.6666 | |
| Manufacturer/Supplier | CMC Materials; Via Umbria 4; 20098 San Giuliano Milanese (MI); Italy | |
| Telephone | +39 02 988381 / +44 (0) 1773 844200 | |
| E-mail | steve.grundy@cmcmaterials.com | |
| Emergency phone number | | |
| 3E Global Incident Response Hotline | | |
| Singapore | +65 3158 6734 | |
| Asia-Pacific | +1.760.476.3960 | |
| International | +1.760.476.3962 | |
| Access code | 333035 | |
| CHEMTREC | For Dangerous Goods Incidents ONLY (spill, leak, fire, exposure or accident), call CHEMTREC 24/7 at: | |
| Singapore | 800.101.2201 | |
| International | +1.703.741.5970 | |

2. Hazards identification**GHS classification**

| | | |
|------------------------------|--|-----------------------------|
| Physical hazards | Flammable liquids | Category 2 |
| Health hazards | Serious eye damage/eye irritation | Category 2 |
| | Specific target organ toxicity following single exposure | Category 3 narcotic effects |
| Environmental hazards | Not classified. | |

GHS label elements, including precautionary statements

Pictograms



Signal word Danger

Hazard statements Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Avoid breathing mist/vapours. Wear protective gloves/eye protection/face protection.

Response Call a POISON CENTRE/doctor if you feel unwell. In case of fire: Use water fog, alcohol resistant foam, dry chemical powder, carbon dioxide to extinguish.

Storage Store in a well-ventilated place. Keep cool.

Disposal Not assigned.

Other hazards which do not result in classification None known.

Supplemental information None.

3. Composition/information on ingredients

Substance or mixture Substance

| Chemical name | Common name and synonyms | CAS Number | Concentration (%) |
|---------------|---------------------------------|------------|-------------------|
| Propan-2-ol | Isopropyl alcohol (isopropanol) | 67-63-0 | 100 |

Composition comments All concentrations are in percent by weight unless otherwise indicated.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison centre or doctor/physician if you feel unwell.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention if symptoms occur. If ingestion of a large amount occurs, seek medical attention.

Most important symptoms/effects, acute and delayed May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Indication of immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

General information Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed. Combustion products may include: carbon oxides.

Fire fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Cool containers exposed to flames with water.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards Highly flammable liquid and vapour.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist/vapours. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Singapore. PELs. (Workplace Safety and Health (Permissible Exposure Levels of Toxic Substances) Order)

| Material | Type | Value |
|---------------------------|------|------------------------|
| Propan-2-ol (CAS 67-63-0) | STEL | 1230 mg/m ³ |
| | | 500 ppm |
| | TWA | 983 mg/m ³ |
| | | 400 ppm |

Control parameters/Occupational exposure limits

US. ACGIH Threshold Limit Values

| Material | Type | Value |
|---------------------------|------|---------|
| Propan-2-ol (CAS 67-63-0) | STEL | 400 ppm |
| | TWA | 200 ppm |

Biological limit values

ACGIH Biological Exposure Indices

| Material | Value | Determinant | Specimen | Sampling Time |
|---------------------------|---------|-------------|----------|---------------|
| Propan-2-ol (CAS 67-63-0) | 40 mg/l | Acetone | Urine | * |

* - For sampling details, please see the source document.

Appropriate engineering control measures

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.

Other Wear suitable protective clothing.

| | |
|---------------------------------------|--|
| Respiratory protection | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Selection and use of respiratory protective equipment should be in accordance with Singapore Standard SS 548:2009. Appropriate respirator selection should be made by a qualified professional. |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. |
| General hygiene considerations | When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. |

9. Physical and chemical properties

Appearance

| | |
|--|---------------------------------|
| Physical state | Liquid. |
| Form | Liquid. |
| Colour | Colourless. |
| Odour | Alcoholic. |
| Odour threshold | Not available. |
| pH | Not applicable. |
| Melting point/freezing point | -88.5 °C (-127.3 °F) |
| Initial boiling point and boiling range | 82.5 °C (180.5 °F) 1013.1 hPa |
| Flash point | 12.0 °C (53.6 °F) Closed cup |
| Evaporation rate | 1.7 |
| Flammability (solid, gas) | Not applicable. |
| Flammability limit - lower (%) | 2.3 |
| Flammability limit - upper (%) | 12.7 |
| Vapour density | 2.1 |
| Relative density | 0.785 (water=1) |
| Solubility(ies) | |
| Solubility (water) | Miscible with water. |
| Partition coefficient (n-octanol/water) | 0.05 |
| Auto-ignition temperature | 399 °C (750.2 °F) |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Other data | |
| Density | 0.79 g/cm ³ |
| Dynamic viscosity | 0.58 mPa.s (75 °C (167 °F)) |
| Explosive properties | Not explosive. |
| Heat of combustion (NFPA 30B) | 27.4 kJ/g |
| Kinematic viscosity | 0.7338 mm ² /s |
| Molecular formula | C ₃ H ₈ O |
| Molecular weight | 60.1 g/mol |
| Oxidising properties | Not oxidising. |
| Surface tension | 20.93 mN/m (25 °C (77 °F)) |

10. Stability and reactivity

| | |
|---|--|
| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | Avoid heat, sparks, open flames and other ignition sources. Contact with incompatible materials. |
| Incompatible materials | Acids. Strong oxidising agents. |
| Hazardous decomposition products | No hazardous decomposition products are known. |

11. Toxicological information

Information on likely routes of exposure

| | |
|---------------------|--|
| Inhalation | May cause drowsiness and dizziness. Prolonged inhalation may be harmful. |
| Skin contact | Prolonged skin contact may cause temporary irritation. |
| Eye contact | Causes serious eye irritation. |
| Ingestion | May cause discomfort if swallowed. |

Acute toxicity Not expected to be acutely toxic.

| Product | Species | Test Results |
|---------------------------|---------|----------------------|
| Propan-2-ol (CAS 67-63-0) | | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | 16.4 ml/kg, 24 Hours |
| Inhalation | | |
| <i>Vapour</i> | | |
| LC50 | Rat | > 10000 ppm, 6 Hours |

Symptoms May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Aspiration may cause pulmonary oedema and pneumonitis.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitiser.

Skin sensitisation This product is not expected to cause skin sensitisation.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure May cause drowsiness and dizziness.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not classified, however droplets of the product may be aspirated into the lungs through ingestion or vomiting and may cause a serious chemical pneumonia.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Product | Species | Test Results |
|---------------------------|--------------------------|------------------------|
| Propan-2-ol (CAS 67-63-0) | | |
| Aquatic | | |
| <i>Acute</i> | | |
| Crustacea | LC50 Daphnia magna | > 10000 mg/l, 24 hours |
| Fish | LC50 Pimephales promelas | 9640 mg/l, 96 hours |

Persistence and degradability Readily biodegradable.

Bioaccumulative potential

Octanol/water partition coefficient log Kow
0.05

Mobility in soil This product is miscible in water. Expected to be mobile in soil.

Other adverse effects The product is a volatile organic compound which has a photochemical ozone creation potential.

13. Disposal considerations

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

14. Transport information

ADR

| | |
|------------------------------|---|
| UN number | UN1219 |
| UN proper shipping name | ISOPROPANOL |
| Transport hazard class(es) | |
| Class | 3 |
| Subsidiary risk | - |
| Label(s) | 3 |
| Hazard No. (ADR) | 33 |
| Tunnel restriction code | D/E |
| Packing group | II |
| Environmental hazards | No |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

RID

| | |
|------------------------------|---|
| UN number | UN1219 |
| UN proper shipping name | ISOPROPANOL |
| Transport hazard class(es) | |
| Class | 3 |
| Subsidiary risk | - |
| Label(s) | 3 |
| Packing group | II |
| Environmental hazards | No |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

ADN

| | |
|------------------------------|---|
| UN number | UN1219 |
| UN proper shipping name | ISOPROPANOL |
| Transport hazard class(es) | |
| Class | 3 |
| Subsidiary risk | - |
| Label(s) | 3 |
| Packing group | II |
| Environmental hazards | No |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

IATA

| | |
|------------------------------|---|
| UN number | UN1219 |
| UN proper shipping name | Isopropanol |
| Transport hazard class(es) | |
| Class | 3 |
| Subsidiary risk | - |
| Packing group | II |
| Environmental hazards | No |
| ERG Code | 3L |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

IMDG

| | |
|------------------------------|---|
| UN number | UN1219 |
| UN proper shipping name | ISOPROPANOL |
| Transport hazard class(es) | |
| Class | 3 |
| Subsidiary risk | - |
| Packing group | II |
| Environmental hazards | |
| Marine pollutant | No |
| EmS | F-E, S-D |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable. However, this product is a liquid and if transported in bulk covered under MARPOL 73/78, Annex I.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question This safety data sheet was prepared in accordance with Singapore Standard Specification for Hazard Communication for Hazardous Chemicals and Dangerous Goods Part 3: Preparation of Safety Data Sheets (SDS) (SS 586: Part 3: 2014) as amended.

Prior Informed Consent (PIC) Substances (Environment Protection and Management Act, 2nd Schedule, Part 1, Jul. 1, 2013)

Not regulated.

Chemical Weapons Prohibition (Act)

Not applicable.

Environmental Protection and Management (Hazardous Substances) Regulations

Not applicable.

Environmental Public Health Act

Not applicable.

Misuse of Drugs Act

Controlled Narcotic Drugs (Misuse of Drugs Act, First Schedule, Part I, II & III, as amended)

Not regulated.

Drug Precursors (Misuse of Drugs Act, Third Schedule, Parts I & II, as amended)

Not regulated.

Controlled Specified Drugs (Misuse of Drugs Act, Fourth Schedule, as amended)

Not regulated.

Temporarily Listed Drugs (Misuse of Drugs Act, Fifth Schedule, as amended)

Not regulated.

International regulations

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia | Australian Inventory of Industrial Chemicals (AICIS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

References

ECHA registered substances database
EPA: AQUIRE database
HSDB® - Hazardous Substances Data Bank
IARC Monographs. Overall Evaluation of Carcinogenicity

Issued by

Not available.

Prepared by

Title

Sharlene Parry, Product Stewardship Manager

Disclaimer

CMC Materials cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Issue date

12-September-2019

Revision date

28-April-2021

Key/legend

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

ECHA: European Chemical Agency.

IATA: International Air Transport Association.

IARC: International Agency for Research on Cancer.

IBC: Intermediate Bulk Container.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution From Ships.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short-Term Exposure Limit.

TWA: Time Weighted Average.