SAFETY DATA SHEET

CMC MATERIALS

1. Identification

Product identifier Isopropanol - Isopropyl Alcohol

Other means of identification

CAS number 67-63-0 Propan-2-ol **Synonyms**

Recommended use of the chemical and restrictions on use

Recommended use Raw material for photochemicals, raw material for cleaning agents and disinfectants, process

control substance, solvent, industrial use.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

CMC Materials; 300 Throckmorton St, Fort Worth, TX 76102; United States Manufacturer/Supplier

Telephone +1-800-392-3966

Manufacturer/Supplier CMC Materials; Amber Business Centre; Riddings Alfreton Derbyshire DE55 4DA; United

Kingdom

+44 (0) 1773 844200 Telephone

Manufacturer/Supplier CMC Materials; Les Vieilles Hayes; 50620 Saint Fromond; France

Telephone +33 (0) 2 33 75 64 00

CMC Materials; Via Umbria 4; 20098 San Giuliano Milanese (MI); Italy Manufacturer/Supplier

+39 02 988381 Telephone

Manufacturer/Supplier CMC Materials; 9 Tuas View Lane; Singapore 637569

+65 3163 6666 Telephone

E-mail fepc.sdscoordinator@fujifilm.com

Emergency phone number

CHEMTREC For Dangerous Goods Incidents ONLY (spill, leak, fire, exposure or accident), call

CHEMTREC 24/7 at:

USA/Canada +1 703-527-3887 or Toll Free +1 800-424-9300 (US & Canada)

United Kingdom +(44)-870-8200418 **France** +(33)-975181407 Italy 800-789-767 (Toll free) **Singapore** +(65)-31581349 Malaysia 1.800.815.308 Taiwan 00801 14 8954 Korea +82 070 7686 0086

4001-204937 China

2. Hazards identification

GHS classification

Physical hazards Flammable liquids Category 2 **Health hazards** Serious eye damage/eye irritation Category 2

> Specific target organ toxicity following single Category 3 narcotic effects

exposure

Environmental hazards Not classified.

GHS label elements, including precautionary statements

Pictograms

Isopropanol - Isopropyl Alcohol

Version #: 05 Revision date: 22-March-2024 Issue date: 12-September-2019

SDS Singapore

Signal word Danger

Hazard statements Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or

dizziness.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly

closed. Avoid breathing mist/vapours. Wear protective gloves/eye protection/face protection.

Response Call a POISON CENTRE/doctor if you feel unwell. In case of fire: Use water fog, alcohol resistant

foam, dry chemical powder, carbon dioxide to extinguish.

Storage Store in a well-ventilated place. Keep cool.

Disposal
Other hazards which do not result in classification

Not assigned.
None known.

Supplemental information None.

3. Composition/information on ingredients

Substance or mixture

Substance

Chemical name	Common name and synonyms	CAS Number	Concentration (%)
Propan-2-ol	Isopropyl alcohol (isopropanol)	67-63-0	100

Composition comments

All concentrations are in percent by weight unless otherwise indicated.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison

centre or doctor/physician if you feel unwell.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical

attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content

doesn't get into the lungs. Get medical attention if symptoms occur. If ingestion of a large amount

occurs, seek medical attention.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

General information

May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing

before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

Combustion products may include: carbon oxides.

Fire fighting

equipment/instructions

Special protective equipment

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Cool containers exposed to flames with water.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards Highly flammable liquid and vapour.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Isopropanol - Isopropyl Alcohol SDS Singapore

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist/vapours. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage. including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Singapore. PELs (Workplace Safety and Health (General Provisions) Regulations 2006 (\$ 134/2006), First Schedule: Permissible Exposure Limits of Toxic Substances)

Material	Туре	Value	
Propan-2-ol (CAS 67-63-0)	STEL	1230 mg/m3	
		500 ppm	
	TWA	983 mg/m3	
		400 ppm	

Cor

US. ACGIH Threshold Limit Values (TLV)

Material	Туре	Value	
Propan-2-ol (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	

Biological limit values

Material	Value	Determinant	Specimen	Sampling Time	
Propan-2-ol (CAS	67-63-0) 40 mg/l	Acetone	Urine	*	

^{* -} For sampling details, please see the source document.

Appropriate engineering control measures

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Wear suitable protective clothing. Other

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators. Selection and use of respiratory protective equipment should be in accordance with Singapore Standard SS 548:2009. Appropriate respirator selection should be

made by a qualified professional.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Isopropanol - Isopropyl Alcohol SDS Singapore General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Colour Colourless.
Odour Alcoholic.
Odour threshold Not available.

pH Property has not been measured.

Melting point/freezing point -88.5 °C (-127.3 °F)

Initial boiling point and boiling

range

82.5 °C (180.5 °F) 1013.1 hPa

Flash point 12 °C (53.6 °F) Closed cup

Evaporation rate 1.7

Flammability (solid, gas) Not applicable.

Explosive limit - lower (%) 2.3 Explosive limit - upper 12.7

(%)

Vapour pressure Not available.

Vapour density 2.1

Relative density 0.785 (water=1)

Solubility(ies)

Solubility (water) Miscible with water.

Partition coefficient 0.05

(n-octanol/water)

Auto-ignition temperature 399 °C (750.2 °F)

Decomposition temperature Property has not been measured.

Viscosity Not available.

Other data

Density 0.785 g/cm³

Dynamic viscosity 0.58 mPa.s (75 °C (167 °F))

Explosive properties Not explosive. **Heat of combustion (NFPA** 27.4 kJ/g

30B)

Kinematic viscosity0.7338 mm²/sMolecular formulaC3-H8-OMolecular weight60.1 g/molOxidising propertiesNot oxidising.

Surface tension 20.93 mN/m (25 °C (77 °F))

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Contact with incompatible materials.

Incompatible materials Acids. Strong oxidising agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause drowsiness and dizziness. Prolonged inhalation may be harmful.

Skin contact Prolonged skin contact may cause temporary irritation.

Isopropanol - Isopropyl Alcohol SDS Singapore

Eye contact Causes serious eye irritation.

Ingestion May cause discomfort if swallowed.

Acute toxicity Not expected to be acutely toxic.

Product Species Test Results

Propan-2-ol (CAS 67-63-0)

Acute Dermal

LD50 Rabbit 16.4 ml/kg, 24 Hours

Inhalation Vapour

LC50 Rat > 10000 ppm, 6 Hours

Symptoms May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Aspiration may

cause pulmonary oedema and pneumonitis.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitiser.

Skin sensitisation This product is not expected to cause skin sensitisation.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause drowsiness and dizziness.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified, however droplets of the product may be aspirated into the lungs through ingestion

or vomiting and may cause a serious chemical pneumonia.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product Species Test Results

Propan-2-ol (CAS 67-63-0)

Aquatic Acute

Crustacea LC50 Daphnia magna > 10000 mg/l, 24 hours
Fish LC50 Pimephales promelas 9640 mg/l, 96 hours

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

Octanol/water partition coefficient log Kow

0.05

Mobility in soil This product is miscible in water. Expected to be mobile in soil.

Other adverse effects The product is a volatile organic compound which has a photochemical ozone creation potential.

13. Disposal considerations

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

 $contents/container\ in\ accordance\ with\ local/regional/national/international\ regulations.$

Special precautions Dispose in accordance with all applicable regulations.

14. Transport information

ADR

UN number UN1219
UN proper shipping name ISOPROPANOL

Isopropanol - Isopropyl Alcohol SDS Singapore

1290 Version #: 05 Revision date: 22-March-2024 Issue date: 12-September-2019

Transport hazard class(es)

Class 3 Subsidiary risk 3 Label(s) 33 Hazard No. (ADR) D/F **Tunnel restriction code Packing group** ш **Environmental hazards** Nο

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

RID

UN number UN1219

ISOPROPANOL UN proper shipping name

Transport hazard class(es) Class 3 Subsidiary risk 3 Label(s) Ш **Packing group** Nο **Environmental hazards**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

ADN

UN number UN1219

UN proper shipping name ISOPROPANOL

Transport hazard class(es)

Class 3 Subsidiary risk Label(s) 3 Ш **Packing group Environmental hazards** Nο

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN1219 UN number **UN proper shipping name** Isopropanol

Transport hazard class(es)

Class 3 Subsidiary risk Ш Packing group Nο **Environmental hazards ERG Code** 3L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN1219

ISOPROPANOL UN proper shipping name

Transport hazard class(es)

3 Class Subsidiary risk Ш Packing group **Environmental hazards**

No Marine pollutant **EmS** F-E, S-D

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

Not applicable. However, this product is a liquid and if transported in bulk covered under MARPOL 73/78, Annex I.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

1, 2013)

This safety data sheet was prepared in accordance with Singapore Standard Specification for Hazard Communication for Hazardous Chemicals and Dangerous Goods Part 3: Preparation of Safety Data Sheets (SDS) (SS 586: Part 3: 2014) as amended.

Prior Informed Consent (PIC) Substances (Environment Protection and Management Act, 2nd Schedule, Part 1, Jul.

Not regulated.

Isopropanol - Isopropyl Alcohol SDS Singapore

Chemical Weapons Prohibition (Act)

Not applicable.

Environmental Protection and Management (Hazardous Substances) Regulations

Not applicable.

Environmental Public Health Act

Not applicable.

Misuse of Drugs Act

Controlled Narcotic Drugs (Misuse of Drugs Act, First Schedule, Part I, II & III, as amended)

Not regulated.

Drug Precursors (Misuse of Drugs Act, Third Schedule, Parts I & II, as amended)

Not regulated.

Controlled Specified Drugs (Misuse of Drugs Act, Fourth Schedule, as amended)

Inventory name

Not regulated.

International regulations

Montreal Protocol

Not applicable.

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Basel Convention

Not applicable.

Country(s) or region

International Inventories

	Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
	Canada	Domestic Substances List (DSL)	Yes
	Canada	Non-Domestic Substances List (NDSL)	No
	China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
	Europe European Inventory of Existing Commercial Chemical Substances (EINECS)		Yes
	Europe	European List of Notified Chemical Substances (ELINCS)	No
	Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
	Korea	Existing Chemicals List (ECL)	Yes
	New Zealand	New Zealand Inventory	Yes
	Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
	Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
	United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
* A 113 - 11 - 11 - 11 - 11 - 11 - 11 - 1			

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

References ECHA registered substances database

EPA: AQUIRE database

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity

Issued byPrepared by
Not available.
Not available.

Disclaimer CMC Materials cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Issue date 12-September-2019
Revision date 22-March-2024

Isopropanol - Isopropyl Alcohol SDS Singapore

On inventory (yes/no)*

Key/legend

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service. ECHA: European Chemical Agency.

IATA: International Air Transport Association.
IARC: International Agency for Research on Cancer.

IBC: Intermediate Bulk Container.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution From Ships. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short-Term Exposure Limit. TWA: Time Weighted Average.