



**SAFETY DATA SHEET**  
**AZ 3312 RESIST (18 CPS) 302-0004**

Substance No.: GHSBBG703G  
Version 3.1

Revision Date 04/02/2015  
Print Date 08/25/2016

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**


Product name : AZ 3312 RESIST (18 CPS) 302-0004  
Material No. : 18441823159  
Product Use Description : Intermediate for electronic industry

**SECTION 2. HAZARDS IDENTIFICATION**

**Emergency Overview**

**HMIS Classification** : Health hazard: 2  
Flammability: 2  
Reactivity: 0  
PPE:X

**NFPA Classification** : Health hazard: 2  
Fire Hazard: 2  
Reactivity Hazard: 1  
Special Hazards: NONE



**GHS Classification**

Hazard category, Hazard class : Flammable liquids, Category 3  
Hazard category, Hazard class : Skin sensitization, Category 1  
Hazard category, Hazard class : Eye irritation, Category 2A  
Hazard category, Hazard class : Specific target organ toxicity - single exposure, Category 3



**GHS-Labeling**

**SAFETY DATA SHEET**  
**AZ 3312 RESIST (18 CPS)**

**302-0004**

Substance No.: GHSBBG703G  
 Version 3.1

Revision Date 04/02/2015  
 Print Date 08/25/2016

Symbol(s)	:	 
Signal word	:	Warning
Hazard statements	:	Flammable liquid and vapour. May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation, and drowsiness or dizziness.
Precautionary statements	:	<p><b>Prevention:</b>          Keep away from heat/sparks/open flames/hot surfaces. - No smoking.          Keep container tightly closed.          Ground/bond container and receiving equipment.          Use explosion-proof electrical/ ventilating/ lighting/ equipment.          Use only non-sparking tools.          Take precautionary measures against static discharge.          Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.          Wash skin thoroughly after handling.          Contaminated work clothing should not be allowed out of the workplace.          Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p><b>Response:</b>          IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.          IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.          IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.          If skin irritation or rash occurs: Get medical advice/ attention.          If eye irritation persists: Get medical advice/ attention.          Wash contaminated clothing before reuse.          In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.</p> <p><b>Storage:</b>          Store in a well-ventilated place. Keep cool.          Store in a closed container.</p> <p><b>Disposal:</b>          Dispose of contents/ container to an approved waste disposal plant.</p>



**SAFETY DATA SHEET**  
**AZ 3312 RESIST (18 CPS) 302-0004**

Substance No.: GHSBBG703G  
Version 3.1

Revision Date 04/02/2015  
Print Date 08/25/2016

**Special labelling of certain mixtures :**

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 20 %

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Hazardous ingredients**

Component	CAS-No.	Weight percent
1-Methoxy-2-propanol acetate	108-65-6	45 - 50
Ethyl-(S)-lactate	687-47-8	25 - 30
Diazonaphthoquinonesulfonic ester	67829000004-5762P	<= 5
Aromatic hydroxy compound	67829000004-5670P	<= 1
2-Methoxy-1-propanol acetate	70657-70-4	< 0.3

**Non-hazardous ingredients**

Component	CAS-No.	Weight percent
Cresol novolak resin	67829000004-5653P	15 - 20

---

**SECTION 4. FIRST AID MEASURES**

**First aid procedures**

- Inhalation : If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.
- Skin contact : Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.
- Eye contact : Remove contact lenses. Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
- Ingestion : Keep respiratory tract clear. If conscious, drink plenty of water. Never give anything by mouth to an unconscious person. Obtain medical attention.



**SAFETY DATA SHEET**  
**AZ 3312 RESIST (18 CPS) 302-0004**

Substance No.: GHSBBG703G  
Version 3.1

Revision Date 04/02/2015  
Print Date 08/25/2016

---

**SECTION 5. FIREFIGHTING MEASURES**

**Flammable properties**

Flash point : ca. 104 °F (40 °C)

**Fire fighting**

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Further information : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.  
Cool containers/tanks with water spray.

**Protective equipment and precautions for firefighters**

Specific hazards during firefighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Environmental precautions : Do not allow entry to drains, water courses or soil.  
Prevent spreading by use of suitable barriers.  
Local authorities should be advised if significant spillages cannot be contained.

Methods for containment /  
Methods for cleaning up : Wearing appropriate personal protective equipment, contain spill, ventilate area of spill or leak, remove all sparking devices or ignition sources, collect onto inert absorbent, and place in a suitable container.

---

**SECTION 7. HANDLING AND STORAGE**

**Handling**

Handling : Do not breathe vapours or spray mist.  
Do not get on skin or clothing.  
For personal protection see section 8.  
Use only in area provided with appropriate exhaust ventilation.



**SAFETY DATA SHEET**  
**AZ 3312 RESIST (18 CPS) 302-0004**

Substance No.: GHSBBG703G  
Version 3.1

Revision Date 04/02/2015  
Print Date 08/25/2016

Advice on protection against fire and explosion : Keep away from heat and sources of ignition.  
Take measures to prevent the build up of electrostatic charge.  
Avoid shock and friction.

**Storage**

Further information on storage conditions : Keep container tightly closed in a dry and well-ventilated place.  
May liberate combustible solvent vapors.  
Store at appropriate temperature. See label for details.

---

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines**

**Components with workplace control parameters**

Components	CAS-No.	Control parameters	Basis
1-Methoxy-2-propanol acetate	108-65-6	TWA: 50 ppm	US WEEL

**Engineering measures**

Engineering measures : Handle only in a place equipped with local exhaust (or other appropriate exhaust).

**Personal protective equipment**

Eye protection : Safety eyewear to protect against splashes.

Hand protection : Solvent-resistant gloves

Skin and body protection : Clothing suitable to prevent skin contact.

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.  
Respirator with filter for organic vapour  
Use NIOSH approved respiratory protection.

Hygiene measures : Observe the usual precautions when handling chemicals.



**SAFETY DATA SHEET**  
**AZ 3312 RESIST (18 CPS) 302-0004**

Substance No.: GHSBBG703G  
Version 3.1

Revision Date 04/02/2015  
Print Date 08/25/2016

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance**

Form : liquid  
Color : Clear, amber-red  
  
Odor : strong  
characteristic  
ester-like

**Safety data**

Flash point : ca. 104 °F (40 °C)  
  
Vapour pressure : ca. 3 Torr  
at 68 °F (20 °C)  
  
Density : 1.046 g/cm<sup>3</sup>  
  
Water solubility : The solvent is partially water soluble but the product forms two layers.  
  
VOC : 795 g/l (Calculated value)  
  
Loss on drying : > 75 %

---

**SECTION 10. STABILITY AND REACTIVITY**

Conditions to avoid : Avoid contact with oxidizing agents.  
Avoid contact with strong acids.  
Avoid contact with alkaline materials.  
  
Hazardous decomposition products : Hazardous decomposition products due to incomplete combustion  
Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).  
  
Hazardous reactions : Hazardous polymerisation does not occur.  
  
Chemical stability : Stable under normal conditions.



**SAFETY DATA SHEET**  
**AZ 3312 RESIST (18 CPS) 302-0004**

Substance No.: GHSBBG703G  
Version 3.1

Revision Date 04/02/2015  
Print Date 08/25/2016

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

**Data for AZ 3312 RESIST (18 CPS) 302-0004**

Further information : No toxicological testing was carried out on the preparation.

**Data for 1-Methoxy-2-propanol acetate (108-65-6)**

Acute oral toxicity : LD50: 8,532 mg/kg  
Species: rat

Acute inhalation toxicity : LC50: > 23.8 mg/l  
Exposure time: 6 h  
Species: rat

Acute dermal toxicity : LD50: > 5,000 mg/kg  
Species: rabbit

Skin irritation : Result: non-irritant

Eye irritation : Result: Moderate eye irritation  
Source : Supplier MSDS

Sensitisation : Species: Guinea pig  
Result: non-sensitizing

**Toxicology Assessment**

CMR effects : Teratogenicity:  
Oral and Inhalation developmental toxicity studies were conducted in pregnant rats and rabbits with PGMEA (1-Methoxy-2-propanol acetate) containing approximately 2% beta isomer (cited in 1-METHOXY-2-PROPANOL ACETATE OECD SIDS Report). No statistically significant effects were noted in developmental parameters at any of the dose levels tested (Oral study - up to 1,000 mg/kg/day and inhalation study - up to 4000 ppm).



**SAFETY DATA SHEET**  
**AZ 3312 RESIST (18 CPS) 302-0004**

Substance No.: GHSBBG703G  
Version 3.1

Revision Date 04/02/2015  
Print Date 08/25/2016

**Data for 2-Methoxy-1-propanol acetate (70657-70-4)**

Acute inhalation toxicity : Data refers to Beta Isomer

**Toxicology Assessment**

CMR effects : Teratogenicity:  
The beta isomer, 2-Methoxy-1-propanol acetate, was tested by itself for developmental/teratogenic effects in pregnant rats and rabbits. Developmental/teratogenic effects were observed in both species via the inhalation route of exposure. In rabbits, the effects only occurred in the highest dose group (545 ppm) in absence of any significant maternal toxicity. In rats, these effects were also only observed in the highest dose group, but in the presence of significant maternal toxicity, which placed the cause of the developmental effects in question. The No Observable Adverse Effect Level, NOAEL, for the inhalation exposures in rabbits with the pure beta isomer was determined to be 145 ppm, this equates to exposure of 1-Methoxy-2-propanol acetate with a level of beta isomer > 2%. Since this Product formulation contains < 0.3% of the beta isomer, it is judged that exposure to this product formulation does not pose a reproductive hazard.

**Data for Ethyl-(s)-lactate (687-47-8)**

Acute oral toxicity : LD50 Oral: 2,500 mg/kg  
Species: mouse

Acute inhalation toxicity : LC50: 5,400 mg/l  
Exposure time: 8 h  
Species: rat

Skin irritation : May irritate skin.

Eye irritation : May irritate eyes.

Repeated dose toxicity : Application Route: Inhalation  
Exposure time: 28 Day ()





**SAFETY DATA SHEET**  
**AZ 3312 RESIST (18 CPS) 302-0004**

Substance No.: GHSBBG703G  
Version 3.1

Revision Date 04/02/2015  
Print Date 08/25/2016

NOEL: 0.6 mg/l

**Data for Diazonapthaquinone ester (67829000004-6567P)**

Acute oral toxicity : LD50: > 5,000 mg/kg  
Species: rat

Skin irritation : Species: rabbit  
Result: slight irritant effect - does not require labelling  
Classification: not irritating

Eye irritation : Species: rabbit  
Result: No eye irritation  
Classification: No eye irritation

---

**SECTION 12. ECOLOGICAL INFORMATION**

**Data for AZ 3312 RESIST (18 CPS) 302-0004**

Additional ecological information : No ecological testing was carried out on the preparation.

**Data for 1-Methoxy-2-propanol acetate (108-65-6)**

**Ecotoxicity effects**

Toxicity to fish : LC50: 100 - 180 mg/l Exposure time: 96 h  
Species: Oncorhynchus mykiss (rainbow trout)

: LC50: 161 mg/l Exposure time: 96 h  
Species: Fish general (Pisces)

: NOEC: 100 mg/l Exposure time: 96 h  
Species: Fish general (Pisces)

Toxicity to daphnia and other aquatic invertebrates : EC50: > 500 mg/l  
Species: Daphnia magna



**SAFETY DATA SHEET**  
**AZ 3312 RESIST (18 CPS) 302-0004**

Substance No.: GHSBBG703G  
Version 3.1

Revision Date 04/02/2015  
Print Date 08/25/2016

Toxicity to bacteria : EC20: 1,000 mg/l  
Exposure time: 30 min  
Species: activated sludge

**Elimination information (persistence and degradability)**

Biodegradability : Method: OECD 302 B  
: The product is biodegradable.

**Data for Ethyl-(s)-lactate (687-47-8)**

**Ecotoxicity effects**

Toxicity to fish : LC50: 320 mg/l Exposure time: 48 h  
Species: Fish

Toxicity to daphnia and other : EC50: 683 mg/l  
aquatic invertebrates Exposure time: 48 h  
Species: Daphnia (water flea)

**Elimination information (persistence and degradability)**

Biodegradability : Readily biodegradable, according to appropriate OECD test.

**Data for Diazonapthaquinone ester (67829000004-6567P)**

**Ecotoxicity effects**

Toxicity to bacteria : EC50: > 7 mg/l  
Species: Bacteria

**Elimination information (persistence and degradability)**



**SAFETY DATA SHEET**  
**AZ 3312 RESIST (18 CPS)**

**302-0004**

Substance No.: GHSBBG703G  
Version 3.1

Revision Date 04/02/2015  
Print Date 08/25/2016

Biodegradability : Result: Not readily biodegradable.  
Method: OECD 301 D

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

Further information : Dispose of as hazardous waste in compliance with local and national regulations.  
For disposal, this material is a flammable hazardous waste under RCRA.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

RCRA hazardous waste : RCRA number: D001  
Yes -- If it becomes a waste as sold.

---

**SECTION 14. TRANSPORT INFORMATION**

**DOT**

Not restricted

**IATA**

UN number : 1993  
Description of the goods : Flammable liquid, n.o.s.  
(2-Methoxy-1-methylethyl acetate, Ethyl lactate)  
Class : 3  
Packing group : III  
Labels : 3  
Environmentally hazardous : no  
Additional data for transport : PASSENGER AIRCRAFT SHIPMENT OF GLASS  
CONTAINERS >2.5L NOT PERMITTED. CARGO AIRCRAFT  
ONLY!

**IMDG**

UN number : 1993  
Description of the goods : FLAMMABLE LIQUID, N.O.S.  
(2-Methoxy-1-methylethyl acetate, Ethyl lactate)  
Class : 3  
Packing group : III  
Labels : 3



**SAFETY DATA SHEET**  
**AZ 3312 RESIST (18 CPS) 302-0004**

Substance No.: GHSBBG703G  
Version 3.1

Revision Date 04/02/2015  
Print Date 08/25/2016

EmS Number 1 : F-E  
EmS Number 2 : S-E  
  
Marine pollutant : no  
Environmentally hazardous : no

---

**SECTION 15. REGULATORY INFORMATION**

**Notification status**

**TSCA** : All components of this product are listed on the TSCA Inventory.

**DSL** : This product contains components listed on the Canadian NDSL list. All other components are on the Canadian DSL list.

**WHMIS Classification** : : Not Rated

**Canadian PBT Chemicals** : This product does not contain any components on the DSL that are classified as Persistent, Bioaccumulative and Toxic (PBT) under CEPA.

**CERCLA Reportable Quantity** :  
This material does not contain any components with a CERCLA RQ.

**Carcinogenicity**

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**ACGIH** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**EPCRA - Emergency Planning and Community Right-to-Know Act**



**SAFETY DATA SHEET**  
**AZ 3312 RESIST (18 CPS) 302-0004**

Substance No.: GHSBBG703G  
Version 3.1

Revision Date 04/02/2015  
Print Date 08/25/2016

**SARA 302 Reportable Quantity** : This material does not contain any components with a SARA 302 RQ.

**SARA 304 Extremely Hazardous Substances** : This material does not contain any components with a section 304 EHS RQ.

**SARA 313:** This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

**Ozone-Depletion Potential** : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

**US. Clean Air Act - Hazardous Air Pollutants (HAP)**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

**US. Clean Air Act Section 112(r); Regulated toxic and flammable substances for Accidental Release Prevention - 40 CFR 68.130 (subpart F)**

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

**US. Clean Air Act Section 111 SOCM I Intermediate or Final Volatile Organic Compounds (VOC) - 40 CFR part 60.489**

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

**US State Regulations**



**SAFETY DATA SHEET**  
**AZ 3312 RESIST (18 CPS) 302-0004**

Substance No.: GHSBBG703G  
Version 3.1

Revision Date 04/02/2015  
Print Date 08/25/2016

<b>Massachusetts Right To Know Components</b>	: No components are subject to the Massachusetts Right to Know Act.	
<b>Pennsylvania Right To Know Components</b>	: 1-Methoxy-2-propanol acetate	108-65-6
	Ethyl-(S)-lactate	687-47-8
	Cresol novolak resin	67829000004-5653P
	Diazonaphthoquinonesulfonic ester	67829000004-5762P
<b>New Jersey Right To Know Components</b>	: 1-Methoxy-2-propanol acetate	108-65-6
	Ethyl-(S)-lactate	687-47-8
	Cresol novolak resin	67829000004-5653P
	Diazonaphthoquinonesulfonic ester	67829000004-5762P
	Aromatic hydroxy compound	67829000004-5670P
<b>California Prop. 65 Components</b>	: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.	

---

**SECTION 16. OTHER INFORMATION**

This information is supplied under the OSHA Hazard Communication Standard, 29 CFR 1910.1200, and is offered in good faith based on data available to us that we believe to be true and accurate. For any sub-heading within any section not addressed herein, no relevant information is determined or applicable. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable to the material. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate for that use. No warranty, express or implied, is made regarding the accuracy of this data, the hazards connected with the use of the material, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein. Data provided here are typical and not intended for use as product specifications.



SAFETY DATA SHEET  
**AZ 3312 RESIST (18 CPS)**

**302-0004**

Substance No.: GHSBBG703G  
Version 3.1

Revision Date 04/02/2015  
Print Date 08/25/2016

---

AZ and the AZ logo are trademarks or registered trademarks of Merck KGaA, Darmstadt, Germany or its affiliates.